Amendments to the Claims

1. (original) A method for managing memory usage comprising:

determining whether a file stored on a user/hardware accessible portion of a non-volatile memory device in a computing system has been accessed within a pre-determined period; and

if the file has not been accessed within the pre-determined period, purging the file to enable the recovery of storage space in the user/hardware accessible portion of the non-volatile memory device being occupied by unused or infrequently accessed files.

- 2. (original) The method of claim 1, wherein a file comprises a variable.
- 3. (original) The method of claim 1, wherein access-aging policies based on heuristics that are platform specific to the computing system are used to determine whether a file stored on the user/hardware accessible portion of the non-volatile memory device has been accessed within a pre-determined period.
- 4. (original) The method of claim 1, wherein purging the file comprises deleting the file from the user/hardware accessible portion of the non-volatile memory device.
- 5. (original) The method of claim 1, wherein purging the file comprises deleting the file from the computing system.

- 6. (original) The method of claim 1, wherein purging the file comprises offloading the file to an alternative non-volatile memory device capable of storing the file indefinitely.
- 7. (original) The method of claim 6, wherein the non-volatile memory device comprises a FLASH memory device and wherein offloading the file to an alternative non-volatile memory device comprises:

copying the file to the alternative non-volatile memory device; and deleting the file from the FLASH memory device.

8. (original) The method of claim 1, wherein the non-volatile memory device comprises a first non-volatile memory device and wherein purging the file comprises:

copying the file to a second non-volatile memory device capable of storing the file for an indefinite period of time; and

deleting the file from the first non-volatile memory device.

- 9. (original) The method of claim 8, wherein the first non-volatile memory device comprises a non-volatile random access memory device and the second non-volatile memory device comprises at least one of a hard drive, a tape drive, a writeable compact disk (CD) drive, a floppy disk drive, and a remote location on a network.
- 10. (original) The method of claim 1, wherein the non-volatile memory device comprises a non-volatile random access memory (NVRAM) device.

- 11. (original) The method of claim 10, wherein the NVRAM device comprises a FLASH memory device.
- 12. (original) The method of claim 11, wherein the FLASH memory device comprises a main system firmware portion and the user/hardware accessible portion, wherein the memory capacity of the main system firmware portion is larger than the memory capacity of the user/hardware accessible portion.
- 13. (original) The method of claim 12, wherein the main system firmware portion comprises computer program code to maintain the user/hardware accessible portion of the non-volatile memory device.
- 14. (original) The method of claim 1, wherein determining whether a file stored on a user/hardware accessible portion of a non-volatile memory device in a computing system has been accessed within a pre-determined period further comprises determining whether the file is stale.
- 15. (original) The method of claim 14, wherein a user interacts with the computing system to determine which stale files in a list of files indicated as being stored on the user/hardware accessible portion of the non-volatile memory device are selected to be purged.

16. (original) The method of claim 1, further comprising monitoring the user/hardware accessible portion of the non-volatile memory device to prevent depletion of available user/hardware accessible space.

17. (original) The method of claim 16, wherein monitoring the user/hardware accessible portion of the non-volatile memory device comprises altering access-aging policies to accelerate the purging of files from the user/hardware accessible portion to prevent depletion of the any remaining user/hardware accessible space.

18. (original) The method of claim 1, further comprising monitoring available user/hardware accessible space to prevent storage of files comprising storage allotments that exceed or limit the amount of the available user/hardware accessible space.

19. (original) The method of claim 1, wherein purging the file comprises offloading the file to an alternative non-volatile memory device capable of storing the file indefinitely, wherein if the file is needed, the computing system will retrieve the file from the alternative non-volatile memory device when the file is not found in the user/hardware accessible portion of the non-volatile memory device.

20. (original) An article comprising: a storage medium having a plurality of machine accessible instructions, wherein when the instructions are executed by a processor, the instructions provide for determining whether a file stored on a

user/hardware accessible portion of a non-volatile memory device in a computing system has been accessed within a pre-determined period; and

if the file has not been accessed within the pre-determined period, purging the file to enable the recovery of storage space in the user/hardware accessible portion of the non-volatile memory device being occupied by unused or infrequently accessed files.

- 21. (original) The article of claim 20, wherein a file comprises a variable.
- 22. (original) The article of claim 20, wherein access-aging policies based on heuristics that are platform specific to the computing system are used to determine whether a file stored on the user/hardware accessible portion of the non-volatile memory device has been accessed within a pre-determined period.
- 23. (original) The article of claim 20, wherein instructions for purging the file comprises instructions for deleting the file from the user/hardware accessible portion of the non-volatile memory device.
- 24. (original) The article of claim 20, wherein instructions for purging the file comprises instructions for deleting the file from the computing system.
- 25. (original) The article of claim 20, wherein instructions for purging the file comprises instructions for offloading the file to an alternative non-volatile memory device capable of storing the file indefinitely.

26. (original) The article of claim 25, wherein the non-volatile memory device comprises a FLASH memory device and wherein instructions for offloading the file to an alternative non-volatile memory device comprises instructions for:

copying the file to the alternative non-volatile memory device; and deleting the file from the FLASH memory device.

27. (original) The article of claim 20, wherein the non-volatile memory device comprises a first non-volatile memory device and wherein instructions for purging the file comprises instructions for:

copying the file to a second non-volatile memory device capable of storing the file for an indefinite period of time; and

deleting the file from the first non-volatile memory device.

- 28. (original) The article of claim 27, wherein the first non-volatile memory device comprises a non-volatile random access memory device and the second non-volatile memory device comprises at least one of a hard drive, a tape drive, a writeable compact disk (CD) drive, a floppy disk drive, and a remote location on a network.
- 29. (original) The article of claim 20, wherein the non-volatile memory device comprises a non-volatile random access memory (NVRAM) device.

- 30. (original) The article of claim 29, wherein the NVRAM device comprises a FLASH memory device.
- 31. (original) The article of claim 30, wherein the FLASH memory device comprises a main system firmware portion and the user/hardware accessible portion, wherein the memory capacity of the main system firmware portion is larger than the memory capacity of the user/hardware accessible portion.
- 32. (original) The article of claim 31, wherein the main system firmware portion comprises computer program code to maintain the user/hardware accessible portion of the non-volatile memory device.
- 33. (original) The article of claim 20, wherein instructions for determining whether a file stored on a user/hardware accessible portion of a non-volatile memory device in a computing system has been accessed within a pre-determined period further comprises instructions for determining whether the file is stale.
- 34. (original) The article of claim 33, wherein a user interacts with the computing system to determine which stale files in a list of files indicated as being stored on the user/hardware accessible portion of the non-volatile memory device are selected to be purged.

35. (original) The article of claim 20, further comprising instructions for monitoring the user/hardware accessible portion of the non-volatile memory device to prevent depletion of available user/hardware accessible space.

36. (original) The article of claim 35, wherein instructions for monitoring the user/hardware accessible portion of the non-volatile memory device comprises instructions for altering access-aging policies to accelerate the purging of files from the user/hardware accessible portion to prevent depletion of the any remaining user/hardware accessible space.

37. (original) The article of claim 20, further comprising instructions for monitoring available user/hardware accessible space to prevent storage of files comprising storage allotments that exceed or limit the amount of the available user/hardware accessible space.

38. (original) The article of claim 20, wherein instructions for purging the file comprises instructions for offloading the file to an alternative non-volatile memory device capable of storing the file indefinitely, wherein if the file is needed, the computing system will retrieve the file from the alternative non-volatile memory device when the file is not found in the user/hardware accessible portion of the non-volatile memory device.

39. (currently amended) A computing system comprising

a processor; and

a non-volatile memory device coupled to the processor, the non-volatile memory device comprising a main system firmware portion and a user/hardware accessible portion, the main system firmware portion comprising computer program code for enabling the processor to manage memory usage of the user/hardware accessible portion, wherein the computer program code of the main system firmware portion includes access-aging policies based on heuristics that are platform specific to enable management of the memory usage of the user/hardware accessible portion, wherein files stored within the user/hardware accessible portion are purged when the files have not been accessed within a pre-determined period of time.

40. (original) The computing system of claim 39, wherein the non-volatile memory device comprises at least one non-volatile random access memory (NVRAM) device.

41. (cancelled)

- 42. (original) The computing system of claim 39, wherein the memory capacity of the user/hardware accessible portion is less than the memory capacity of the main system firmware portion of the non-volatile memory.
- 43. (original) The computing system of claim 39, further comprising an alternate non-volatile storage device, wherein files stored within the user/hardware accessible

portion that have not been accessed within a pre-determined period of time are offloaded to the alternate non-volatile storage device, wherein the alternate non-volatile storage device is capable of storing the files indefinitely.